Curating the Data A regional museum perspective

Dr Rob Symmons
Curator
Fishbourne Roman Palace
coafish@sussexpast.co.uk





COLLECTIONS FOR PEOPLE

MUSEUMS' STORED COLLECTIONS AS A PUBLIC RESOURCE























Demographic profile of museums N=2043














2013/14 SE Museum Development Partnership Annual Data Survey


	All	Total visits	All	Total visits		
	responses	2012/13	responses	2013/14		
	2012/13		2013/14			
Buckinghamshire,	35	2,554,031	24	1,931,302		
Oxfordshire &						
Berkshire						
Hampshire Solent	21	1,918,534	46	2,233,872		
Kent & Medway	20	1,236,363	14	1,206,608		
Surrey, East & West	17	999,592	22	1,384,887		
Sussex						
Total	93	6,708,520	106	6,756,669		













Making Heritage Science Data FAIR and

Impactful

































Sample N° N	Map N° and Site	Element	Dating	Haplotype	Metrics	Dental ageing	δ13C	δ15N	C/N	875r/865r	δ180 SMOW	δ13C
	(see Fig 1)			(see Fig 3)		after Bowen et al. (forthcoming)			ratio		carbonate	carbonate
CB505	1. Carisbrooke	Tibia	897 ± 23	2	•		-21.6	7.5	3.3			
CB604	1. Carisbrooke	Tibia	834 ± 19	2	•		-21.0	5.5	3.2			
CB605	1. Carisbrooke	Tibia	834 ± 19	2	•		-22.1	7.5	3.3			
CB606	1. Carisbrooke	Tibia	866 ± 24	2	•		-21.6	6.4	3.1			
CB607	1. Carisbrooke	Tibia	792 ± 28	15	•		-22.6	7.4	3.2			
OX09	2. Southampton	Femur	11th-12th century	NOT DAMA			-20.9	6.0	3.4			
OX193	2. Southampton	Femur	11th-12th century	NOT DAMA			-20.2	6.6	3.4			
LW504	3. Lewes Castle	Antler	11th-12th century	16			-22.1	5.6	3.3			
SV206	5. Sparsholt	Ulna	15-17th century	2			-22.6	2.3	3.3			
SV207	5. Sparsholt	Scapula	15-17th century	2	•		-23.0	2.7	3.3			
SV208	5. Sparsholt	Metatarsal	15-17th century	2	•		-23.0	3.0	3.4			
SV209	5. Sparsholt	Humerus	15-17 th century	2								
SV211	5. Sparsholt	Radius	360 ± 23	2	•		-22.3	3.0	3.3			
SV212	5. Sparsholt	Metacarpal	15-17th century	2	•		-23.1	2.9	3.4			
SV213	5. Sparsholt	Humerus	15-17 th century	2	•		-22.9	2.5	3.4			
SV214	5. Sparsholt	Tibia	15-17 th century	2	•		-23.1	2.8	3.4			
SV215	5. Sparsholt	Calcaneum	15-17 th century	2								
SV216	 Sparsholt. 	Phalanx I	15-17th century	2	•		-23.2	2.9	3.4			
SV217	 Sparsholt. 	Phalanx I	15-17 th century	2	•		-23.1	2.7	3.4			
FN383	6. <u>Faccombe</u>	Metatarsal	c. AD 1280-1356	2			-22.2	3.7	3.5			
FN384	6. <u>Faccombe</u>	Maxilla	c. AD 1418-1430	2			-21.8	2.7	3.3	M1 0.708519	24.5	-11.8
FN385	6. <u>Faccombe</u>	Maxilla	c. AD 1280-1356	10			-22.4	3.0	3.6	M1 0.708873	23.3	-15.4
	6. <u>Faccombe</u>									M1 0.709489;		
FN386		Maxilla	11th-12th century	2			-22.9	4.6	3.5	M3 0.709672	24.9	-14.2
6. [6. Faccombe									M1 0.710657;		
										M3 0.710776;		
FN387		Maxilla	11th-12th century	2			-22.6	4.3	3.6	bone 0.707876	24.8	-15.1
FN388	6. <u>Faccombe</u>	Astragalus	c. AD 1077-1204	2	•		-22.2	2.7	3.6			
FN389	6. <u>Faccombe</u>	Tibia	914 ± 23	F			-21.5	4.5	3.5			
FN390	6. <u>Faccombe</u>	Radius	c. AD 1180-1280	F	•		-22.2	3.0	3.5			
FN391	6. Faccombe	Mandible	c. AD 1280-1356	4		M3 c (MWS G)	-22.0	2.5	3.5	M3 0.709423	26.4	-13.0

https://www.nottingham.ac.uk/zooarchaeolog
y/deer bone/search.php





Data needs to be generated



- Data needs to be generated
- Data needs to relate to existing archive



- Data needs to be generated
- Data needs to relate to existing archive
- Data needs to be deposited

